

# Chengdu HercuLux Photoelectric Technology Co.,Ltd **Product Approval**

Approval number:

Customer:

Manufacturer: Chengdu HercuLux Photoelectric Technology Co.,Ltd

PN	Code	Product
HK-RG-83@40-15-D12-21-1g-1	1.01.23072	HK Moony 83@40-15° lens
HK-RG-83@40-24-D14-21-1g-1	1. 01. 12981	HK Moony 83@40-24° lens
HK-RG-83@40-36-D14-21-1g-1	1.01.13030	HK Moony 83@40-36° lens
HK-RG-83@40-50-D14-21-1g-1	1.01.13045	HK Moony 83@40-50° lens



	Supplier	· confirmatio	n		Client cor	firmation	
Proposed	Project			Qualified□			
Project manager		DATE		Unqualified□		DATE	
Audit	DATE			Audit		DATE	
Approved		DATE		Approved		DATE	
Stamp		DATE		Stamp		DATE	

(Confirmation of acceptance by both parties must be signed and sealed)

Factory: Chengdu Shuangliu District, lot industrial park 2 road HercuLux Photoelectric Park

Phone: 028-85887727 (801) 028-85887990 (801) Fax: 028-85887730 http://www.herculux.cn/

Sales Dept: Shenzhen Nanshan District Nanshan Cloud Valley Innovation Industrial Park Comprehensive Service Building, 501-505

TEL: 0755-2937 1541 FAX: 0755-2907 5140

<sup>\*</sup>Approval In duplicate, for both supplier and customer.




# HERCULUX Product Approval

TEL: 0755-2937 1541 Date updated: 2022/8/1 FAX: 0755-2907 5140 http://www.herculux.cn/

Product Picture:	
PN:	HK-RG-83@40-15-D12-21-1g-1
Size(L*W*H/Φ*H):	Ф:83mm; H:39.7mm
Material:	PC
Effiency:	\
Temperature(Topr):	Material extreme temperature resistance: -40°C to +120°C long-term use temperature: -40°C to +100°C
FWHM:	15°、24°、36°、50°
Matched LES:	D14






- 1. The 3D map is not indicated for rounded corners and draft angle.
- 2. The dimensional tolerances are not specified according to GB/T 14486 2008 MT5.
- 3, The surface has no flash, shrinkage, bubbles and other defects.
- \*4. When the lamp adopts rubber ring for waterproofing: the roughness of the contact surface between the radiator and the rubber ring is required: Ra<3.2µm

Ī	Optical	design						ŀ	HK-RG-8	3@40-15-D12	-21-1g-1	1
Ī	tructur	ucture desig  Review				HK Moon	y 83@40-15°lens			1.01.23072		
ſ	Pov	iow						umber o	f drawin	qty	wei	ight
L	Review											
	Valid	idation		Material:	PC	CDHK						
~	250	250~	~450	>4	450							

							,	alluation				iviaterial:	FC	CDIIK
MT5 Tolerance	Basic size	<3	3∼10	10~24	24~65	65~140	140~2	50 250	~450	>450	0			
	olerance valu	±0.1	±0.15	±0.2	±0.35	±0.50	±0.80	±	L.2	±2.0	)			






- 1. The 3D map is not indicated for rounded corners and draft angle.
- 2. The dimensional tolerances are not specified according to GB/T 14486 2008 MT5.
- 3, The surface has no flash, shrinkage, bubbles and other defects.
- \*4. When the lamp adopts rubber ring for waterproofing: the roughness of the contact surface between the radiator and the rubber ring is required: Ra<3.2µm

	Optical	design							НК	(-RG-8	3@40-24-D14-	21-1g-1	1
	tructur	ructure desig  Review					HK Moon	y 83@40-24°lens			1.01.12981		
r	Rev	iew							ımber of d	drawin	qty	wei	ight
	Validation				Material:	PC			CDHK				
)^	~250	250~	~450	>4	450								

								adtion			iviateriai.	16	EBIIK
MT5 Tolerance	Basic size	<3	3~10	10~24	24~65	65~140	140~250	250~4	50 >	450			
	olerance valu	±0.1	±0.15	±0.2	±0.35	±0.50	±0.80	±1.2	<u>+</u>	2.0			






- 1. The 3D map is not indicated for rounded corners and draft angle.
- 2. The dimensional tolerances are not specified according to GB/T 14486 2008 MT5.
- 3, The surface has no flash, shrinkage, bubbles and other defects.
- \*4. When the lamp adopts rubber ring for waterproofing: the roughness of the contact surface between the radiator and the rubber ring is required:  $Ra<3.2\mu m$

	Optical	design						ŀ	HK-RG-8	3@40-36-D14-	-21-1g-1	1
	tructur	ucture desig  Review				HK Moon	y 83@40-36°lens			1.01.13030		
	Pov	iow						umber o	f drawin	qty	we	ight
	nev	iew										
	Validation		Material:	PC	CDHK							
)^	~250	250^	~450	>4	450							

							٧	andation				iviateriai.	1 6	EBIIK
MT5 Tolerance	Basic size	<3	3∼10	10~24	24~65	65~140	140~25	0 250	~450	>4	50			
	olerance valu	±0.1	±0.15	±0.2	±0.35	±0.50	±0.80	- +	1.2	±2	.0			







- 1. The 3D map is not indicated for rounded corners and draft angle.
- 2. The dimensional tolerances are not specified according to GB/T 14486 2008 MT5.
- 3, The surface has no flash, shrinkage, bubbles and other defects.
- \*4. When the lamp adopts rubber ring for waterproofing: the roughness of the contact surface between the radiator and the rubber ring is required:  $Ra<3.2\mu m$

	Optical	design						H	IK-RG-8	33@40-50-D14-	-21-1g-1	1
	tructur	ucture desig  Review				HK Moon	y 83@40-50°lens			1.01.13045		
ļ	Pov	iow						umber o	f drawin	qty	wei	ight
ı	nev	iew										
	Validation		Material:	PC	CDHK							
)^	~250	250~	~450	>4	450							


							V	ildation				widterial.	1.6	CBTIK	
MT5 Tolerance	Basic size	<3	3∼10	10~24	24~65	65~140	140~250	250	~450	>450	0				
	olerance valu	±0.1	±0.15	±0.2	±0.35	±0.50	±0.80	±	1.2	±2.0					


IES----







IES----







IES----













			Standard size	Upper Size limit	Lower size limit	Test result1	Test result2	Test result3	Test result4	Jud gme nt	Remarks		
	diam	neter	83			82. 88	82.8	82. 83	82.85		Test environment: In 20 °C -25 °C		
1.Size	hei	ight	39.7			39. 69	39. 7	39.66	39.69		environment to achieve thermal		
	thic	kness	2.5			2.62	2.63	2.63	2.62		equilibrium after the test.		
							ne appearai		-				
	-			See at	ttachment	"Appearan	ice Inspecti	on Standaı	ds"		T		
2.Appear	anc	"App	tachment earance	E	1	No burr	No burr	No burr	No bu	ırr	OK		
e Quality			pection ndards"		N	o stains	No stains	No stains	No stai	ins			
3.Materia	ıl			PC			Color	Tra	nsparent		OK		
	Testir	ng LED				CITIZI	EN CLU-03	8-1205					
4.Optica I index	FW an K-v (CD	/HM gle value /LM)		See light distribution curve   19.1°   18.8°   18.3°   18.5°							lly tested and		
		See the	signature	ture sample `									
Compreh ve judgn							Qu	alified					
Remarks 1、Tool N Vernier C Quadratic M-Tool M Needle T Radius G 2、Ambi on the siz refer to th	Number aliper of H-He licroso -Thick auge ent te	2D- eight Ga cope P- Gauge E-Visua mperat	e R- al. ure luct	Length change (mm	os 0.8		changes table		Size:  Size:  100m Size:  150m XSize: 200m	m m	1		

# Precautions:

- 1. Please wear clean gloves during the lens assembly process to prevent the lens surface from being contaminated.
- 2. Try to avoid touching the total reflection surface when taking the lens.
- 3. The lens surface is contaminated. Only use a soft cotton cloth dipped in analytically pure neutral solvent to wipe gently. Do not wipe with industrial solvents (alcohol, isopropanol, acetone, ether, toluene, xylene, carbon tetrachloride, MMA Body, etc.).
- 4. The working temperature of the lens should be within the temperature resistance limit of the lens material. Exceeding the temperature resistance limit will cause the lens to crack or melt and affect the service life of the lens. It is recommended that the upper surface temperature of the LED colloid should be less than 120 degrees.



		Standar d size	Upper Size Iimit	Lower size limit	Test result1	Test result2	Test result3	Test result4	Jud gme nt	Remarks
	diamete	er 83			82.89	82. 89	82. 9	82. 88		environment:
1.Size	height	39.7			39. 88	39. 87	39. 88	39. 87		In 20 °C -25 °C environment
	thickne	SS 2.5			2.63	2.64	2.68	2. 68		to achieve
				Gate	shear can not a	ffect the appeara	ance of the lamp	١		
				See	attachment "App	pearance Inspec	tion Standards"			
2.Appea	ronoo	See ttachment ppearance			No burr	No burr	No burr	No burr		OK
Quality	1	nspection Standards"			No stains	No stains	No stains	No stains	3	
3.Materi	al		Р	С		Color	Tra	nsparent		OK
	Testing L	ED			(	CITIZEN CLU-03	38-1205			
4.00#	the sour	ce of the tes	st, if it is r	equired to	o be out of range ironment, the le	e. According to t	ommended for the he heat dissipation by tested and testion curve	ion capability of	the la	mp and the
4.Optic al index	angle				23.8°	22.9°	23.6°	22.9°		$\overline{}$
	K-valu (CD/LM)	ie –			4. 51	4.83	4. 56	4. 63		
	Efficie	ncy			83.70%	83.70%	84. 20%	86. 30%		$\overline{}$
	Facula Se	e the signat	ure samp	le	,				•	
Compre ve judg					•	Qualifie	ed			
Remarks:  1. Tool Number: V- Vernier Caliper 2D- Quadratic H-Height Gauge M-Tool Microscope P-Needle T- Thick Gauge R-Radius Gauge E-Visual. 2. Ambient temperature on the size of the product refer to the table on the right  PC product size  changes (mm) 0.6  0.4  0.2  0 10					e changes with		table  Size: 50mm Size: 100mm Size: 150mm Size: 200mm Size: 250mm Size: 300mm	l I		

# Precautions:

- 1. Please wear clean gloves during the lens assembly process to prevent the lens surface from being contaminated.
- 2. Try to avoid touching the total reflection surface when taking the lens.
- 3. The lens surface is contaminated. Only use a soft cotton cloth dipped in analytically pure neutral solvent to wipe gently. Do not wipe with industrial solvents (alcohol, isopropanol, acetone, ether, toluene, xylene, carbon tetrachloride, MMA Body, etc.).
- 4. The working temperature of the lens should be within the temperature resistance limit of the lens material. Exceeding the temperature resistance limit will cause the lens to crack or melt and affect the service life of the lens. It is recommended that the upper surface temperature of the LED colloid should be less than 120 degrees.



	_		Standar d size	Upper Size limit	Lower size limit	Test result1	Test result2	Test result3	Test result4	Jud gme nt	Remarks
	diame	ter	83			82. 83	82.86	82. 86	82.92		environment:
1.Size	heig	ht	39.7			39. 72	39. 66	39. 71	39.69		In 20 ℃ -25 ℃ environment
	thick	ness	2.5			2.62	2.6	2.59	2. 62		to achieve thermal
					Gate s	hear can not af	fect the appeara	ince of the lamp			
					See a	ttachment "App	earance Inspec	tion Standards"			
2.Appea	rance	atta	See chment earance	E		No burr	No burr	No burr	No burr		ОК
Quality	Ins		pection ndards"			No stains	No stains	No stains	No stains	5	OK
3.Materi	al			Р	С		Color	Tra	insparent		OK
	Testing	LED				C	CITIZEN CLU-03	88-1205			
4.Optic	The recommended size and power rating of the source of the test, if it is required to be of actual conditions of the use environments.					be out of range onment, the len	e. According to the	ne heat dissipati y tested and tes	on capability of	the la	mp and the
al index						38.7°	39.7°	38.6°	38.7°		
	K-value (CD/LM)					2. 23	2.15	2. 2	2. 21		
	Efficiency					80.70%	81.10%	81.10%	80.70%		
	Facula	See t	he signat	ure samp	ole	`					
Compre e judgi						•	Qualifi	ied			
Remarks:  1. Tool Number: V- Vernier Caliper 2D- Quadratic H-Height Gauge M-Tool Microscope P-Needle T- Thick Gauge R-Radius Gauge E-Visual. 2. Ambient temperature on the size of the product refer to the table on the right				e changes with	***	Size: 50mm Size: 100mm Size: 150mm Size: 250mm Size: 250mm Size: 300mm					

# Precautions:

- 1. Please wear clean gloves during the lens assembly process to prevent the lens surface from being contaminated.
- 2. Try to avoid touching the total reflection surface when taking the lens.
- 3. The lens surface is contaminated. Only use a soft cotton cloth dipped in analytically pure neutral solvent to wipe gently. Do not wipe with industrial solvents (alcohol, isopropanol, acetone, ether, toluene, xylene, carbon tetrachloride, MMA Body, etc.).
- 4. The working temperature of the lens should be within the temperature resistance limit of the lens material. Exceeding the temperature resistance limit will cause the lens to crack or melt and affect the service life of the lens. It is recommended that the upper surface temperature of the LED colloid should be less than 120 degrees.



			Standard size	Upper Size limit	Lower size lim			Test result2	Test result3	Test result4	Jud gme nt	Remarks
	diame	ter	83	83		82. 93	3	82.9	82. 91	82.95		Test environment: In 20 °C -25 °C
1.Size	heig	ht	39.7			39. 81		39. 81	39. 81	39.8		environment to achieve thermal
	thickr	ness	2.5			2. 65		2.63	2.65	2.65		equilibrium after the test.
									ance of the	-		
				See	attachme	ent "Appea	aran	ice Inspec	tion Standa	ards"		T
2.Appear	ance		See achment pearance	E		No burr		No burr	No burr	No bu	rr	OK
Quality		Ins	spection andards"			No stains		No stains	No stains	No stains		
3.Materia	ıl			PC				Color	Tra	nsparent		ОК
	Testing	LED				CIT	ΓIZE	EN CLU-03	38-1205			
4.Optica	The recommended comparable to the capability of the lan		to the sou	rce of the t	est, if it is	required tions of th	to b	e out of ra	ange. Acco ment, the l	rding to th	e hea	t dissipation
I index	ang	le				51°		51°	49°	50.8°	_	
	K-value (CD/LM)											
	Efficiency					86. 609	%	86. 10%	86.00%	85. 90%		
	Facula	See	the signatu	re sample		•						
Comprel e judgr								(	Qualified			
Remarks:  1. Tool Number: V- Vernier Caliper 2D- Quadratic H-Height Gauge M-Tool Microscope P-Needle T- Thick Gauge R-Radius Gauge E-Visual.  2. Ambient temperature on the size of the product refer to the table on the right  PC p  Length 0.8 changes (mm) 0.6  0.4  0.2  0.2  0.2					size		s with tem		ize: 5 ize: .00mm ize: .50mm	60mm 1		

#### Precautions

- 1. Please wear clean gloves during the lens assembly process to prevent the lens surface from being contaminated.
- 2. Try to avoid touching the total reflection surface when taking the lens.
- 3. The lens surface is contaminated. Only use a soft cotton cloth dipped in analytically pure neutral solvent to wipe gently. Do not wipe with industrial solvents (alcohol, isopropanol, acetone, ether, toluene, xylene, carbon tetrachloride, MMA Body, etc.).
- 4. The working temperature of the lens should be within the temperature resistance limit of the lens material. Exceeding the temperature resistance limit will cause the lens to crack or melt and affect the service life of the lens. It is recommended that the upper surface temperature of the LED colloid should be less than 120 degrees.



PN		HK-RG-83@40-15-D12-	-21-1g-1	Product Name	HK Moony 83@	040-15°	lens
Product	material	PC		Customer			
Package diagram		Single Va	cuum packa	ge Bo	x package		~
Product	packing	5	A/ Box	4	pcs/Layer		
	. 0	4	Layer/Box	80	A/ Carton		
	NO.	Part No	Part name	Size	Dosage	Unit	Remarks
	1	2. 07. 0102	Blister box	23cm*21cm	16	BAG	
Dookogin	2	2. 08. 0001	PE film	25cm*27cm	16	PCS	
Packagin g Materials	3	2. 06. 0005	Reel label paper	62mm*42mm	16	PCS	
Materials	4	2. 06. 0005	Box label paper	62mm*70mm	1	PCS	
	5	2. 06. 0003	big plate	46cm*42cm	5	PCS	
	6	2. 06. 0018	big flat carton	48cm*44cm*19cr	m 1	PCS	
Remarks		The loose packing is not subje	ct to this specit	ïcation. Customer's	requirements shall	prevail	




# Special notice


When gule pass through holes, columns and other structures, or part of the thin structure, will form a weld line. The product which uses multi-point injection welding line will appear because of the combination of sol, as shown below:


# Syntneti











# Please note:

The appearance of lines in the structure of the product as well as at the screw hole is a normal phenomenon, will not affect the actual use of the product, and can not be avoided at this stage.



# Appearance inspection standards

# 1 Operating procedures

1.1.1Sampling standards, sampling plan and AQL

Test level: GB/T2828.1-2012The first part is according to the acceptance quality limit (AQL) retrieval batch inspection sampling plan, general inspection level  $\Pi$  level, CR class defect coefficient 0, MA defect rejection level AQL = 0.65, MI class defect rejection level AQL = 1.0; defect level please see 5.4.

2 Code table

Code	Code	Unit	Code	Code	Unit
	description			description	
N	Amount/pcs	pcs	D	Diameter	mm
L	Length	mm	Ħ	Depth	mm
W	Width	mm	DS	Distance	mm
S	Proportion	mm²	SS	Offset	mm

# 3 Test conditions

- 3.1 Sight distance and working hours: Sight distance should be 30-35cm, each side of the inspection time does not exceed 12s, the visual angle of 45-135 degrees;
- 3.2 Light: 2x40w cool white fluorescent lamp, the light source is 500-550mm away from the lens surface; in order to make the appearance defect can be correctly recognized, the illumination should be 500-1000Lux, and the observation time is 10 seconds.
  - 3.3 Visual inspection staff should be 1.0 (including corrected visual acuity) above, no color blindness, color weakness.

# 4 Appearance inspection standards

Test items	ludging standard	Inspection equipment	Defect level		
restitems	Judging standard	Testing method	MI	MA	CR
	When start the machine and process, all products have to check the appearance of the sample, the appearance of the sample is divided into qualified samples and limited samples.				
Check the sample	1: Qualified sample refers to the appearance and structure standard of the product which recognized by the client, the sample size should be confirmed before mass production;	Sample comparison , visual			√

1		Ī	1	Ī	
	2: The limited sample refers to the limit of a particular exceptionally developed sample. Limit the sample only for its specific point of exception to confirm; The priority is higher than the other criteria in this table. When there is a limited sample, the limit sample shall prevail.				
Raw edge	Not allowed to affect the size and assembly	Visual, point card		<b>√</b>	
Scratch	1: Non-optical surface and non-exposed surface scratches should be visually insignificant and the length is less than 1/10 of the maximum surface size.	Visual, point card, calipers		<b>√</b>	
Fingerprint	Fingerprints are not allowed on all products	Visual		√	
Foreign objects, black spots, white spots	The product may not be attached to foreign objects, including oil, fiber, dregs of water gap and so on				<b>√</b>
Deformation	Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces.	Visual, feeler			<b>√</b>
Poor ejection	Products may not appear bad ejection, including no convex top, thimble printed on the assembly surface shall not be higher than the product surface, non-assembled surface thimble height should not exceed the product size tolerances; thimble printing should be less than the product surface and no more than 0.3; thimble surface treatment should be consistent with the product side.  Ejection strain: the optical surface and the appearance of the exposed surface after assembly are not allowed to have a strain, and the structural surface does not allow visual obvious strain.	Visual, point card		√	
Insufficient filling	Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces, The signature sample shall prevail.	Visual, point card		<b>√</b>	
Shrink	When the entire surface of the product shrinks, the optical properties and dimensions must meet the requirements, and the visual will not significantly affect the appearance.Part shrink reference point defects	Visual, point card		√	
Flow marks、Welding line	<ol> <li>Product does not allow the presence of flow marks and welding lines unless the structure can not be avoided;</li> <li>The remaining flow marks shall not appear in the optical surface, a single L ≤ 10mm, no more than two</li> </ol>	Visual		✓	

Bubble	No bubbles are allowed	Visual		√	
Foreign objects, black spots, white spots	Not obvious or D ≤ 0.3mm black spots and foreign bodies in the area of 100x100mm not more than 1; Exceeded foreign matter black spots is judged bad.	Visual, point card	V		
Damaged	No damage is allowed	Visual			<b>√</b>
Cold glue	Optical surface may not have cold glue, non- optical surface cold glue should meet the visual is not obvious.	Visual	<b>√</b>		
	1: Do not affect the product size, shall not penetrate the optical surface, the cut should be smooth;				
Bad incision	2: Laser cutting products, the optical surface burns shall not occur after the processing is completed. Beading must not affect product installation	Visual			√
	3: Three molds and hot runner gate shall not appear residue.				
Scrub	Scrub surface should be uniform, off the scrub phenomenon should not be obvious, A single off scrub imprint requires D ≤ 1 mm and no more than 1 area within a 50x50 mm area	Visual		<b>√</b>	