

# HERCULUX Chengdu HercuLux Photoelectric 恒坤光电 Technology Co.,Ltd


# **Product Approval**

Approval number:

Customer:

Manufacturer: Chengdu HercuLux Photoelectric Technology Co.,Ltd

PN	Code	Product
HK-50@07-20-3030-20-1g-16	1. 02. 91931	HK 16close1-20degree Lens



	Supplier confirmation				Client confirmation				
Proposed		DATE		Qualified□					
Project manager		DATE		Unqualified□		DATE			
Audit		DATE		Audit		DATE			
Approved		DATE		Approved		DATE			
Stamp		DATE		Stamp		DATE			

( Confirmation of acceptance by both parties must be signed and sealed )

 $Factory: Chengdu\ Shuangliu\ District,\ Iot\ industrial\ park\ 2\ road\ HercuLux\ Photoelectric\ Park$ 

Phone: 028-85887727 (801) 028-85887990 (801) Fax: 028-8588730 http://www.herculux.cn/
Sales Dept: Shenzhen Nanshan District Nanshan Cloud Valley Innovation Industrial Park Comprehensive Service Building, 501-505

TEL: 0755-2937 1541 FAX: 0755-2907 5140


\*Approval In duplicate, for both supplier and customer.



TEL: 0755-2937 1541 FAX: 0755-2907 5140 http://www.herculux.cn/ Date updated: 2022/1/20

Product Picture:	
PN:	HK-50@07-20-3030-20-1g-16
Size(L*W*H/Φ*H):	L:50mm; W:50mm; H:7mm
Material:	PC
Effiency:	\
Temperature(Topr):	Material extreme temperature resistance : -40°C to +120°C long-term use temperature : -40°C to +90°C
FWHM:	20°
Matched LES:	3030






# Technical remark:


- 1. The 3D map is not indicated for rounded corners and draft angle.
- 2. The dimensional tolerances are not specified according to GB/T 14486 2008 MT5.
- 3, The surface has no flash, shrinkage, bubbles and other defects.

	Optical	design							HK-50@07-20-3030-20-1g-16					
	tructure desig		HK 16close	e1-20degree Lens	1.02.91931									
	Review								umber of drawin	qty	weight			
	Validation					Material:	PC		CDHK					
0^	~250	250^	~450	>4	450									


	50	>4	250~450	140~250	65~140	24~65	3~10	<3	Basic size	MT5
	0	±2.	±1.2	±0.80	±0.50	±0.35	±0.15	±0.1	olerance valu	Tolerance table (mm)













			Standard size	Upper Size limit	Lower size limi	Test result1	Test result2	Test result3	Test result4	Jud gme nt	Remarks
	le	ength	50			49. 83	49. 92	49. 78	49. 85		
	width		50			49.8	49. 91	49. 82	49. 82		Test environment: In
1.Size		ng column acing	45			44. 75	44.74	44. 7	44. 77		20 °C -25 °C environment to achieve thermal equilibrium after the
	Locating post		2			1.8	1.82	1.8	1.83		test.
	he	eight	7			7. 08	7.04	7. 08	7. 05		
	<u> </u>			Gate she	ar can no	affect the a	ppearance	of the lamp			
				See atta	chment "A	Appearance I	nspection S	Standards"			
	7 Δnnearance		chment rance			No burr		No burr	No burr		OK
Quality		Inspection S				No stains	No stains	No stains No stains			
3.Materia	al ————			PC C				Transparent OK			
A Outline	The reco	f the test, if it	is required	to be out o	of range.	According to s should be	the heat dis	ssipation ca and tested	apability of	the la	comparable to the mp and the actual ens life.
4.Optica I index		ngle		20° ±2°			20. 6°	lon our ve			
		value			_	19.9°	20.0		$\overline{}$	_	
		ciency							$\overline{}$	_	
		See the sign	ature samp	ole		<del>   </del>					
Compre	ehensive ment					I	Qualified				
Remarks:  1 Tool Number: V-Vernier Caliper 2D-Quadratic H-Height Gauge M- Tool Microscope P-Needle T-Thick Gauge R-Radius Gauge E-Visual.  2 Ambient temperature on the size of the product refer to the table on the right				cha	PC ngth 1 nges 0.8 0.6 0.4 0.2 0	product siz	te changes	40	Size:  Size:  100m Size: 150m C)	50m	
Precaution	ons:										

### Precautions:

- 1、Wear clean gloves during lens assembly to prevent contamination of the lens surface.
- 2. Take the lens try to avoid touching the total reflection surface.
- 3. When the lens surface contamination, you can only gently wipe with soft cotton sticky neat neutral solvent, not allowed to wipe with industrial solvents.
- 4. The working temperature of the lens should be within the temperature limit of the lens material. Exceeding the temperature limit will cause damage to the lens and affect the service life of the lens.




PN		HK-50@07-20-3030-20-1g-16		Product Name	HK 160	HK 16close1-20degree Lens			
Product	material	PC		Customer					
Package diagram		Single Va	cuum packa	age B	ox package	>			
Product	nacking	24	PC	S/B0X	4	BOX/Layer	15	Layer/BOX	
10000	packing	1440	PC	S/BOX					
	NO.	Material Code	Ite	m name	Specification	ngle box usa	Unit	Remarks	
	1	2. 07. 0049	Plastic	blister box	23cm*21cm	60	PCS		
Packag	2	2. 08. 0001	Peme	embrane	25cm*27cm	60	PCS		
ing	3	2. 06. 0005	lnside l	label paper	62mm*42mm	60	PCS		
Materi	4	2. 06. 0005	BOX la	bel paper	62mm*70mm	1	PCS		
als	5	2. 06. 0003	Large	e baffle	46cm*42cm	16	PCS		
	6	2. 06. 0011	Са	arton	48cm*44cm*37cm	1	PCS		
	7								
Remarks		Scattered	packaging	is not subje	ect to this speci	fication			
organiza	ation:		proofread	ing:	To examine:	Approval:			





# Special notice


When gule pass through holes, columns and other structures, or part of the thin structure, will form a weld line. The product which uses multi-point injection welding line will appear because of the combination of sol, as shown below:


# Syntheti











# Please note:

The appearance of lines in the structure of the product as well as at the screw hole is a normal phenomenon, will not affect the actual use of the product, and can not be avoided at this stage.



# Appearance inspection standards

1 Operating procedures 1.1.1Sampling standards, sampling plan and AQL

Test level: GB/T2828.1-2012The first part is according to the acceptance quality limit (AQL) retrieval batch inspection sampling plan, general inspection level II level, CR class defect coefficient 0, MA defect rejection level AQL = 0.65, MI class defect rejection level AQL = 1.0; defect level please see 5.4.

2 Code table

Code	Code	Unit	Code		Code	Unit
N	description Amount/pcs	pcs	D		description Diameter	mm
IN .	Amountpes	роз	Б		Diameter	111111
L	Length	mm	Н		Depth	mm
W	Width	mm	DS		Distance	mm
	Doorsetter		00		0.62-1	
S	Proportion	mm²	SS		Offset	mm
	1			l		l

- 3.1 Sight distance and working hours: Sight distance should be 30-35cm, each side of the inspection time does not exceed 12s, the visual angle of 45-135 degrees;
- 3.2 Light: 2x40w cool white fluorescent lamp, the light source is 500-550mm away from the lens surface; in order to make the appearance defect can be correctly recognized, the illumination should be 500-1000Lux, and the observation time is 10 seconds.

  3.3 Visual inspection staff should be 1.0 (including corrected visual acuity) above, no color blindness, color weakness.

### 4 Appearance inspection standards

Test items	ludging standard	Inspection equipment	Defect level		
restitents	Judging standard		MI	MA	CR
	When start the machine and process, all products have to check the appearance of the sample, the appearance of the sample is divided into qualified samples and limited samples.				
Check the sample	Qualified sample refers to the appearance and structure standard of the product which recognized by the client, the sample size should be confirmed before mass production;	Sample comparison , visual			<b>√</b>


1		1	1	1	
	2: The limited sample refers to the limit of a particular exceptionally developed sample. Limit the sample only for its specific point of exception to confirm; The priority is higher than the other criteria in				
	this table. When there is a limited sample, the limit sample shall prevail.				
Raw edge	Not allowed to affect the size and assembly	Visual, point card		√	
Scratch	Non-optical surface and non-exposed surface scratches should be visually insignificant and the length is less than 1/10 of the maximum surface size.	Visual, point card, calipers		<b>√</b>	
Fingerprint	Fingerprints are not allowed on all products	Visual		√	
Foreign objects, black spots, white spots	The product may not be attached to foreign objects, including oil, fiber, dregs of water gap and so on				<b>√</b>
Deformation	Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces.	Visual, feeler			<b>√</b>
Poor ejection	Products may not appear bad ejection, including no convex top, thimble printed on the assembly surface shall not be higher than the product surface, non-assembled surface thimble height should not exceed the product size tolerances; thimble printing should be less than the product surface and no more than 0.3; thimble surface treatment should be consistent with the product side.	Visual, point card		<b>√</b>	
	Ejection strain: the optical surface and the appearance of the exposed surface after assembly are not allowed to have a strain, and the structural surface does not allow visual obvious strain.				
Insufficient filling	Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces, The signature sample shall prevail.	Visual, point card		<b>v</b>	
Shrink	When the entire surface of the product shrinks, the optical properties and dimensions must meet the requirements, and the visual will not significantly affect the appearance.Part shrink reference point defects	Visual, point card		√	
Flow marks、Welding line	1 : Product does not allow the presence of flow marks and welding lines unless the structure can not be avoided;	Visual		V	
	2: The remaining flow marks shall not appear in the optical surface, a single L $\leq$ 10mm, no more than two				
Bubble	No bubbles are allowed	Visual		√	
Foreign objects, black spots, white spots	Not obvious or D ≤ 0.3mm black spots and foreign bodies in the area of 100x100mm not more than 1; Exceeded foreign matter black spots is judged bad.	Visual, point card	<b>√</b>		
Damaged	No damage is allowed	Visual			√
Cold glue	Optical surface may not have cold glue, non- optical surface cold glue should meet the visual is not obvious.	Visual	√		
	Do not affect the product size, shall not penetrate the optical surface, the cut should be smooth;				
Bad incision	2: Laser cutting products, the optical surface burns shall not occur after the processing is completed. Beading must not affect product installation	Visual			<b>√</b>
	3: Three molds and hot runner gate shall not appear residue.				
Scrub	Scrub surface should be uniform, off the scrub phenomenon should not be obvious , A single off scrub imprint requires D $\leq$ 1 mm and no more than 1 area within a 50x50 mm area	Visual		<b>√</b>	
	area				



Description on the arrangement of light source suitable for SMD 3030 light source and body lens:

The chip position of most SMD 3030 light source packages in the market is not in the middle position. When fitting the body lens, it will affect the light distribution of the lens and cause the optical shape to shift. Therefore, when the light source plate is designed and arranged, the eccentric direction of the chip is arranged symmetrically, which can effectively reduce its influence on the light distribution. Sample layout proposal:

Example 1: as shown in the figure below, 16 chips in rows 1 and 3 are eccentric to the right, while those in rows 2 and 4 are eccentric to the left.



Example 2: as shown in the figure below, 16 chips in the first and second columns are eccentric to the right, while those in the third and fourth columns are eccentric to the left.

